



Energy Star®

QUALIFIED DOWNLIGHTS



FOCAL POINT®

ID+ 3.5"

Fixture	Housing Options								Trim Options							
	Housing Series	Trim Type	Color Options	Lumen Output	Voltage	Driver	Housing Type	Factory Options	Aperture	Trim Type	Lumen Output	Color Temp	Optic	Distribution	Reflector Color	Optional Flange Finish
ID+ 3.5" DOWNLIGHT	FLC3D	RO RT	SW HC	700L	UNV 120 277	LD1 L11	IC T	BH CP	LC3	RO RT	700L	27K	DNT DNS	NFL FL1 FL2 WFL VWFL	CD WD WH BK	BP WP
				900L							900L	30K				
				1100L							1100L	35K				
				1300L							1300L	40K				
				1500L							1500L	927K				
				1700L							1700L	930K				
				1900L							1900L	935K				
				2100L							2100L	940K				
												H27K				
												H30K				
												H35K				
												H40K				
ID+ 3.5" X 3.5" DOWNLIGHT	FLC33D	SDO SDT	SW HC	700L	UNV 120 277	LD1 L11	IC T	BH CP	LC33	SDO SDT	700L	27K	DNT DNS	NFL FL1 FL2 WFL VWFL	CD WD WH BK	BP WP
				900L							900L	30K				
				1100L							1100L	35K				
				1300L							1300L	40K				
				1500L							1500L	927K				
				1700L							1700L	930K				
				1900L							1900L	935K				
				2100L							2100L	940K				
												H27K				
												H30K				
												H35K				
												H40K				

Fixture	Housing Options								Trim Options						
	Housing Series	Trim Type	Color Options	Lumen Output	Voltage	Driver	Housing Type	Factory Options	Aperture	Trim Type	Lumen Output	Color Temp	Optic	Reflector Color	Optional Flange Finish
ID+ 3.5" WALL WASH	FLC3W	RO RT	SW HC	700L	UNV 120 277	LD1 L11	IC T	BH CP	LC3	RO RT	700L	27K	WWT WWS	CD WH BK	BP WP
				900L							900L	30K			
				1100L							1100L	35K			
				1300L							1300L	40K			
				1500L							1500L	927K			
				1700L							1700L	930K			
				1900L							1900L	935K			
				2100L							2100L	940K			
												H27K			
												H30K			
												H35K			
												H40K			
ID+ 3.5" X 3.5" WALL WASH	FLC33W	SDO SDT	SW HC	700L	UNV 120 277	LD1 L11	IC T	BH CP	LC33	SDO SDT	700L	27K	WWT WWS	CD WD WH BK	BP WP
				900L							900L	30K			
				1100L							1100L	35K			
				1300L							1300L	40K			
				1500L							1500L	927K			
												930K			
												935K			
												940K			
												H27K			
												H30K			
												H35K			
												H40K			



Energy Star[®]

QUALIFIED DOWNLIGHTS



FOCAL POINT[®]

ID+ 4.5"

Fixture	Housing Options									Trim Options				
	Housing Series	Trim Type	Lumen Output	Color Temp.	Distributon	Voltage	Driver	Housing Type	Factory Options	Aperture	Trim Type	Optic	Reflector Color	Flange Finish
ID+ 4.5" ADJUSTABLE	FLCS4	RO RT	1000L	27K	SP	120	L11	T	CP	LCS4	RDO RDT	SL SP00 SP30 SP40	CD WD WH BK	NP WP BP
			1500L	30K	NFL	277	LD1		BH					
			2000L	35K	FL1	UNV								
			2500L	40K	FL2									
			3000L	927K	WFL									
			3500L	930K	VWFL									
			4000L	935K	LS									
				940K										
ID+ 4.5" X 4.5" ADJUSTABLE	FLCS44	SO ST	1000L	27K	SP	120	L11	T	CP	LCS44	SDO SDT	SL SP00 SP30 SP40	CD WD WH BK	NP WP BP
			1500L	30K	NFL	277	LD1		BH					
			2000L	35K	FL1	UNV								
			2500L	40K	FL2									
			3000L	927K	WFL									
			3500L	930K	VWFL									
			4000L	935K	LS									
				940K										

Fixture	Housing Options							Trim Options							
	Housing Series	Trim Type	Output	Voltage	Driver	Housing Type	Factory Options	Aperture	Trim Type	Output	Color Temp.	Optic	Distribution	Color	Flange Finish
ID+ 4.5" DOWNLIGHT	FLC4D	RT RO	1000L	UNV	L11	T	BH	LC4	RO	1000L	27K	DN	SP	CD	NP
			1500L	120	LD1	IC	CP	LC4AT	RT	1500L	30K		NFL	WH	BP
			2000L	277						2000L	35K		FL1	WD*	WP
			2500L							2500L	40K		FL2	BK	
			3000L							3000L	927K		WFL		
											930K				
											935K				
											940K				
ID+ 4.5" X 4.5" DOWNLIGHT	FLC44D	SO ST	1000L	UNV	L11	T	BH	LC44	SDO	1000L	27K	DN	SP	CD	NP
			1500L	120	LD1	IC	CP	LC4AT	SDT	1500L	30K		NFL	WH	WH
			2000L	277						2000L	35K		FL1	WD*	BK
			2500L							2500L	40K		FL2	BK	
			3000L							3000L	927K		WFL		
											930K		VWFL		
											935K				
											940K				

*80CRI only

*80CRI only



Energy Star[®]

QUALIFIED DOWNLIGHTS



ID+ 4.5"

Fixture	Housing Options							Trim Options							
	Housing Series	Trim Type	Color Options	Lumen Output	Voltage	Driver	Housing Type	Factory Options	Aperture	Trim Type	Lumen Output	Color Temp	Optic	Reflector Color	Optional Flange Finish
ID+ 4.5" WALL WASH	FLC4W	RO RT	SW	1000L	UNV	L11	T	BH	LC4	RO	1000L	27K	WW	CD	NP
				1500L	120	LD1	IC	CP	LC4AT	RT	1500L	30K		WD	BP
				2000L	277						2000L	35K		WH	WP
				2500L							2500L	40K		BK	
				3000L							3000L	927K			
												930K			
ID+ 4.5" X 4.5" WALL WASH	FLC44W	SO ST	SW	1000L	UNV	L11	T	BH	LC44	SDO	1000L	27K	WW	CD	NP
				1500L	120	LD1	IC	CP	LC44AT	SDT	1500L	30K		WD	BP
				2000L	277						2000L	35K		WH	WP
												40K		BK	
												927K			
												930K			
												935K			
												940K			



Energy Star[®]

DIMMING COMPATIBILITY



FOCAL POINT[®]

All Energy Star-certified fixtures offer continuous dimming capability from either 100%-10% (LD1 option) or 100%-1% (L11 option). For more information on dimmer compatibility, please consult the driver manufacturers documentation.

Fixture	Housing Series	Lumen Range	Driver	Manufacturer Reference
ID+ 3.5"	FLC3D	All	L11 LD1	Advance Xitanium 25W (XI025C100V036DSM1, XI025C100V036DSM5) Datasheet
	FLC3W			
ID+ 3.5" X 3.5"	FLC33D	All	L11 LD1	Advance Xitanium 25W (XI025C100V036DSM1, XI025C100V036DSM5) Datasheet
	FLC33W			

ID+ 4.5"	FLCS4	1000L-4000L	L11 LD1	Advance Xitanium 25W (XI025C100V036DSM1, XI025C100V036DSM5) Datasheet
				Advance Xitanium 50W (XI050C140V054DSM1, XI050C140V054DSM5) Datasheet
	FLC4D	1000L-3000L	L11 LD1	Advance Xitanium 25W (XI025C100V036DSM1, XI025C100V036DSM5) Datasheet
				Advance Xitanium 50W (XI050C140V054DSM1, XI050C140V054DSM5) Datasheet
	FLC4W	1000L-3000L	L11 LD1	Advance Xitanium 25W (XI025C100V036DSM1, XI025C100V036DSM5) Datasheet
				Advance Xitanium 50W (XI050C140V054DSM1, XI050C140V054DSM5) Datasheet
ID+ 4.5" X 4.5"	FLCS44	1000L-4000L	L11 LD1	Advance Xitanium 25W (XI025C100V036DSM1, XI025C100V036DSM5) Datasheet
				Advance Xitanium 50W (XI050C140V054DSM1, XI050C140V054DSM5) Datasheet
	FLC44D	1000L-3000L	L11 LD1	Advance Xitanium 25W (XI025C100V036DSM1, XI025C100V036DSM5) Datasheet
				Advance Xitanium 50W (XI050C140V054DSM1, XI050C140V054DSM5) Datasheet
	FLC44W	1000L-2000L	L11 LD1	Advance Xitanium 25W (XI025C100V036DSM1, XI025C100V036DSM5) Datasheet
				Advance Xitanium 50W (XI050C140V054DSM1, XI050C140V054DSM5) Datasheet